

Curriculum vitae Benner, Axel

Date of birth: 15.09.1959

Place of birth: Marburg/Lahn, Germany

Work address: Division of Biostatistics, German Cancer Research Center,
Im Neuenheimer Feld 280
69120 Heidelberg, Germany
Tel.: +49 (0) 6221 42-2390, Fax: +49 (0) 6221 42-2397
e-mail: benner@dkfz.de

Academic education and qualifications:

1978-1986 Study of Statistics at the University of Dortmund, Dortmund, Germany

1986 Diploma in Statistics, University of Dortmund

Professional appointments:

Jan. 1987 – Nov. 1987:

Postgraduate Research Assistant in the DFG project „Interactive Programming Environments and Computer Graphics for Statistical Data Analysis“, University of Dortmund

Dec. 1987 – July 1991:

Assistant in Teaching and Research at Unit „Mathematical Statistics and Applications II“ at the Department of Statistics, University of Dortmund

Aug. 1991 – now:

Biostatistician, Division of Biostatistics, German Cancer Research Center, Heidelberg

since 2006: Head of Research Group „Statistics for Translational Oncology“ in the Division of Biostatistics, German Cancer Research Center, Heidelberg

Original publications of the last five+ years (2003-2009)

- Becker N, Werft W, Toedt G, Lichter P, Benner A. penalizedSVM: a R-package for Feature Selection SVM Classification. **Bioinformatics** 2009 Apr 27. [Epub ahead of print]
- End C, Bikker F, Renner M, Bergmann G, Lyer S, Blaich S, Hudler M, Helmke B, Gassler N, Autschbach F, Ligtenberg AJ, Benner A, Holmskov U, Schirmacher P, Nieuw Amerongen AV, Rosenstiel P, Sina C, Franke A, Hafner M, Kioschis P, Schreiber S, Poustka A, Mollenhauer J. DMBT1 functions as pattern-recognition molecule for poly-sulfated and poly-phosphorylated ligands. **Eur J Immunol.** 2009; 39:833-842.
- Felder B, Radlwimmer B, Benner A, Mincheva A, Tödt G, Beyer KS, Schuster C, Bölte S, Schmötzer G, Klauk SM, Poustka F, Lichter P, Poustka A. FARP2, HDLBP and PASK are downregulated in a patient with autism and 2q37.3 deletion syndrome. **Am J Med Genet A.** 2009;149A: 952-959.
- Geisler C, Jurlander J, Bullinger L, Sander S, Brown P, Benner A, Philip P, Döhner H, Stilgenbauer S; for the Danish CLL-2 study group. Danish CLL2-Study revisited: FISH on a cohort with a 20-year follow-up confirms the validity of the hierarchical model of genomic aberrations in chronic lymphocytic leukaemia. **Eur J Haematol.** 2009 Mar 19. [Epub ahead of print]
- Hillengass J, Zechmann C, Bäuerle T, Wagner-Gund B, Heiss C, Benner A, Ho A, Neben K, Hose D, Kauczor HU, Goldschmidt H, Delorme S, Moehler T. Dynamic Contrast-Enhanced Magnetic Resonance Imaging Identifies a Subgroup of Patients with Asymptomatic Monoclonal Plasma Cell Disease and Pathologic Microcirculation. **Clin Cancer Res.** 2009; 15: 3118-3125.
- Hose D, Moreaux J, Meissner T, Seckinger A, Goldschmidt H, Benner A, Mahtouk K, Hillengass J, Reme T, De Vos J, Hundemer M, Condomines M, Bertsch U, Rossi JF, Jauch A, Klein B, Mohler T. Induction of angiogenesis by normal and malignant plasma cells. **Blood** 2009 Mar 18. [Epub ahead of print]
- Hose D, Reme T, Meissner T, Moreaux J, Seckinger A, Lewis J, Benes V, Benner A, Hundemer M, Hielscher T, Shaughnessy JD Jr, Barlogie B, Neben K, Kramer A, Hillengass J, Bertsch U, Jauch A, De Vos J, Rossi JF, Mohler T, Blake J, Zimmermann J, Klein B, Goldschmidt H. Inhibition of Aurora-kinases for tailored risk adapted treatment of multiple myeloma. **Blood** 2009; 113: 4331-4340.
- Pfister S, Remke M, Benner A, Mendrzyk F, Toedt G, Felsberg J, Wittmann A, Devens F, Gerber NU, Joos S, Kulozik A, Reifenberger G, Rutkowski S, Wiestler OD, Radlwimmer B, Scheurlen W, Lichter P, Korshunov A. **J Clin Oncol.** 2009; 27: 1627-1636.
- Remke M, Pfister S, Kox C, Toedt G, Becker N, Benner A, Werft W, Breit S, Liu S, Engel F, Wittmann A, Zimmermann M, Stanulla M, Schrappe M, Ludwig WD, Bartram CR, Radlwimmer B, Muckenthaler MU, Lichter P, Kulozik AE. High-resolution genomic profiling of childhood T-ALL reveals frequent copy-number alterations affecting the TGF- β and PI3K-AKT pathways and deletions at 6q15-16.1 as a genomic marker for unfavorable early treatment response. **Blood** 2009 Apr 30. [Epub ahead of print]
- Schlenk RF, Döhner K, Kneba M, Götze K, Hartmann F, Del Valle F, Kirchen H, Koller E, Fischer JT, Bullinger L, Habdank M, Späth D, Groner S, Krebs B, Kayser S, Corbacioglu A, Anhalt A, Benner A, Fröhling S, Döhner H; for the German-Austrian AML Study Group (AMLSG). Gene mutations and response to treatment with all-trans retinoic acid in elderly patients with acute myeloid leukemia. Results from the AMLSG Trial AML HD98B. **Haematologica** 2009; 94:54-60.
- Bochtler T, Hegenbart U, Cremer FW, Heiss C, Benner A, Hose D, Moos M, Bila J, Bartram CR, Ho AD, Goldschmidt H, Jauch A, Schonland SO. Evaluation of the cytogenetic aberration pattern in amyloid light chain amyloidosis as compared with monoclonal gammopathy of undetermined significance reveals common pathways of karyotypic instability. **Blood** 2008;111:4700-4705.
- Bochtler T, Hegenbart U, Heiss C, Benner A, Cremer F, Volkmann M, Ludwig J, Perz JB, Ho AD, Goldschmidt H, Schonland SO. Evaluation of the serum-free light chain test in untreated patients with AL amyloidosis. **Haematologica** 2008;93:459-462.

- Calabrò A, Beissbarth T, Kuner R, Stojanov M, Benner A, Asslaber M, Ploner F, Zatloukal K, Samonigg H, Poustka A, Sülzmann H. Effects of infiltrating lymphocytes and estrogen receptor on gene expression and prognosis in breast cancer. **Breast Cancer Res Treat.** 2008 Jul 1. [Epub ahead of print].
- Hillengass J, Zechmann CM, Nadler A, Hose D, Cremer FW, Jauch A, Heiss C, Benner A, Ho AD, Bartram CR, Kauczor HU, Delorme S, Goldschmidt H, Moehler TM. Gain of 1q21 and distinct adverse cytogenetic abnormalities correlate with increased microcirculation in multiple myeloma. **Int J Cancer** 2008;122:2871-2875.
- Jakubowska A, Gronwald J, Menkiszak J, Górski B, Huzarski T, Byrski T, Benner A, Lubiński J, Scott RJ, Hamann U. Ovarian cancer risk in Polish BRCA1 mutation carriers is not associated with the prohibitin 3' untranslated region polymorphism. **BMC Cancer** 2008; 8:90.
- Koch L, Linderkamp O, Ittrich C, Benner A, Poeschl J. Gene expression profiles of adult peripheral and cord blood mononuclear cells altered by lipopolysaccharide. **Neonatology** 2008;93:87-100.
- Korshunov A, Benner A, Remke M, Lichter P, von Deimling A, Pfister S. Accumulation of genomic aberrations during clinical progression of medulloblastoma. **Acta Neuropathol.** 2008;116:383-390.
- Michel S, Benner A, Tariverdian M, Wentzensen N, Hoefler P, Pommerencke T, Grabe N, von Knebel Doeberitz M, Kloor M. High density of FOXP3-positive T cells infiltrating colorectal cancers with microsatellite instability. **Br J Cancer** 2008; 99:1867-1873.
- Sander S, Bullinger L, Leupolt E, Benner A, Kienle D, Katzenberger T, Kalla J, Ott G, Müller-Hermelink HK, Barth TF, Möller P, Lichter P, Döhner H, Stilgenbauer S. Genomic aberrations in mantle cell lymphoma detected by interphase fluorescence in situ hybridization. Incidence and clinicopathological correlations. **Haematologica** 2008; 93:680-687.
- Schlenk RF, Döhner K, Krauter J, Fröhling S, Corbacioglu A, Bullinger L, Habdank M, Späth D, Morgan M, Benner A, Schlegelberger B, Heil G, Ganser A, Döhner H; German-Austrian Acute Myeloid Leukemia Study Group. Mutations and treatment outcome in cytogenetically normal acute myeloid leukemia. **N Engl J Med.** 2008;358(18):1909-1918.
- Schwitalle Y, Kloor M, Eiermann S, Linnebacher M, Kienle P, Knaebel HP, Tariverdian M, Benner A, von Knebel Doeberitz M. Immune response against frameshift-induced neopeptides in HNPCC patients and healthy HNPCC mutation carriers. **Gastroenterol.** 2008;134:988-997.
- Tschuch C, Schulz A, Pscherer A, Werft W, Benner A, Hotz-Wagenblatt A, Barrionuevo LS, Lichter P, Mertens D. Off-target effects of siRNA specific for GFP. **BMC Mol Biol.** 2008; 9:60.
- Westermann F, Muth D, Benner A, Bauer T, Henrich KO, Oberthur A, Brors B, Beissbarth T, Vandesompele J, Pattyn F, Hero B, König R, Fischer M, Schwab M. Distinct transcriptional MYCN/c-MYC activities are associated with spontaneous regression or malignant progression in neuroblastomas. **Genome Biol.** 2008; 9:R150
- Witzens-Harig M, Reiz M, Heiß C, Benner A, Hensel M, Neben K, Dreger P, Kraemer A, Ho AD. Quality of life during maintenance therapy with the anti-CD20 antibody rituximab in patients with B cell non-Hodgkin's lymphoma: results of a prospective randomized controlled trial. **Ann Hematol.** 2008; 88:51-57.
- Zenz T, Benner A, Döhner H, Stilgenbauer S. Chronic lymphocytic leukemia and treatment resistance in cancer: the role of the p53 pathway. **Cell Cycle.** 2008;7:3810-3814.
- Zenz T, Häbe S, Benner A, Kienle D, Döhner H, Stilgenbauer S. The MDM2 -309 T/G promoter single nucleotide polymorphism does not alter disease characteristics in chronic lymphocytic leukemia. **Haematologica** 2008; 93:1111-1113.
- Zenz T, Kröber A, Scherer K, Häbe S, Bühler A, Benner A, Denzel T, Winkler D, Edelmann J, Schwänen C, Döhner H, Stilgenbauer S. Monoallelic TP53 inactivation is associated with poor prognosis in chronic lymphocytic leukemia: results from a detailed genetic characterization with long-term follow-up. **Blood** 2008;112:3322-3329.
- Heinzl H, Benner A, Ittrich C, Mittlböck M. Proposal for sample size calculation programs.

- Med Inf Med.** 2007; 46: 655-661.
- Henrich KO, Claas A, Praml C, Benner A, Mollenhauer J, Poustka A, Schwab M, Westermann F. Allelic variants of CAMTA1 and FLJ10737 within a commonly deleted region at 1p36 in neuroblastoma. **Eur J Cancer** 2007; 43: 607-616.
- Hensel M, Zoz M, Giesecke C, Benner A, Neben K, Jauch A, Stilgenbauer S, Ho AD, Krämer A. High rate of centrosome aberrations and correlation with proliferative activity in patients with untreated B-cell chronic lymphocytic leukemia. **Int J Cancer** 2007; 121: 978-983.
- Hillengass J, Wasser K, Delorme S, Kiessling F, Zechmann C, Benner A, Kauczor HU, Ho AD, Goldschmidt H, Möhler TM. Lumbar bone marrow microcirculation measurements from dynamic contrast-enhanced magnetic resonance imaging is a predictor of event-free survival in progressive multiple myeloma. **Clin Cancer Res.** 2007; 13: 475-481.
- Hundemer M, Klein U, Hose D, Raab MS, Cremer FW, Jauch A, Benner A, Heiss C, Moos M, Ho AD, Goldschmidt H. Lack of CD56 expression on myeloma cells is not a marker for poor prognosis in patients treated by high-dose chemotherapy and is associated with translocation t(11;14). **Bone Marrow Transplant.** 2007 (e-pub).
- Kienle D, Katzenberger T, Ott G, Saupe D, Benner A, Kohlhammer H, Barth TF, Holler S, Kalla J, Rosenwald A, Müller-Hermelink HK, Möller P, Lichter P, Döhner H, Stilgenbauer S: Quantitative gene expression deregulation in mantle-cell lymphoma: correlation with clinical and biologic factors. **J Clin Oncol.** 2007; 25: 2770-2777.
- Kloor M, Michel S, Buckowitz B, Rüschoff J, Büttner R, Holinski-Feder E, Dippold W, Wagner R, Tariverdian M, Benner A, Schwitalle Y, Kuchenbuch B, von Knebel-Doerberitz M. Beta2-microglobulin mutations in microsatellite unstable colorectal tumors. **Int J Cancer** 2007; 121: 454-458.
- Koch L, Linderkamp O, Ittrich C, Benner A, Pöschl J. Gene expression profiles of adult peripheral and cord blood mononuclear cells altered by lipopolysaccharide. **Neonatal.** 2007; 93: 87-100.
- Kunitz A, Wolter M, van den Boom J, Felsberg J, Tews B, Hahn M, Benner A, Sabel M, Lichter P, Reifenberger G, Deimling Av, Hartmann C. DNA hypermethylation and aberrant expression of the EMP3 gene at 19q13.3 in human gliomas. **Brain Pathol.** 2007; 17: 363-370.
- Luft T, Conzelmann M, Benner A, Rieger M, Hess M, Strohhäcker U, Görner M, Hegenbart U, Ho AD, Dreger P. Serum cytokeratin-18 fragments as quantitative markers of epithelial apoptosis in liver and intestinal graft-versus-host disease. **Blood** 2007;110:4535-4542.
- Pfister S, Remke M, Tödt G, Werft W, Benner A, Mendrzyk F, Wittmann A, Devens F, von Hoff K, Rutkowski S, Kulozik A, Radlwimmer B, Scheurlen W, Lichter P, Korshunov A. Supratentorial primitive neuroectodermal tumors of the central nervous system frequently harbor deletions of the CDKN2A locus and other genomic aberrations distinct from medulloblastomas. **Genes, Chromosomes & Cancer** 2007; 46: 839-851.
- Pfister S, Schläger C, Mendrzyk F, Wittmann A, Benner A, Kulozik A, Scheurlen W, Radlwimmer B, Lichter P. Array-based profiling of reference-independent methylation status (aPRIMES) identifies frequent promoter methylation and consecutive downregulation of ZIC2 in pediatric medulloblastoma. **Nucl Acids Res.** 2007; 35: e51.
- Prowatke I, Devens F, Benner A, Grone EF, Mertens D, Grone HJ, Lichter P, Joos S. Expression analysis of imbalanced genes in prostate carcinoma using tissue microarrays. **Br J Cancer** 2007; 96: 82-88.
- Renner M, Bergmann G, Krebs I, End C, Lyer S, Hilberg F, Helmke B, Gassler N, Autschbach F, Bikker F, Strobel-Freidekind O, Gronert-Sum S, Benner A, Blaich S, Wittig R, Hudler M, Ligtenberg AJ, Madsen J, Holmskov U, Annese V, Latiano A, Schirmacher P, Amerongen AV, D'Amato M, Kioschis P, Hafner M, Poustka A, Mollenhauer J. DMBT1 confers mucosal protection in vivo and a deletion variant is associated with Crohn's disease. **Gastroenterol.** 2007; 133: 1499-1509.
- Ribeiro D, Veldwijk MR, Benner A, Laufs S, Wenz F, Ho AD, Frühauf S. Differences in functional activity and antigen expression of granulocytes primed in vivo with filgrastim, lenograstim, or pegfilgrastim. **Transfusion** 2007; 47: 969-980.

- Ritsou E, Breitzkreutz R, Benner A, Böhler T, Weigand MA, Walczak H, Gougeon ML, Krammer PH. CD4/CXCR4-mediated cell death in AIDS (Letter to the editor). **Cell Death Diff.** 2007; 14: 634-636.
- Stilgenbauer S, Sander S, Bullinger L, Benner A, Leupolt E, Winkler D, Kröber A, Kienle D, Lichter P, Döhner H. Clonal evolution in chronic lymphocytic leukemia: acquisition of high-risk genomic aberrations associated with unmutated VH, resistance to therapy, and short survival. **Haematologica** 2007; 92: 1242-1245.
- Tews B, Rörig P, Hartmann C, Hahn M, Felsberg J, Blaschke B, Sabel M, Kunitz A, Tödt G, Neben K, Benner A, Deimling AV, Reifenberger G, Lichter P. Hypermethylation and transcriptional downregulation of the CITED4 gene at 1p34.2 in oligodendroglial tumours with allelic losses on 1p and 19q. **Oncogene** 2007; 26: 5010-5016.
- Westermann F, Henrich KO, Wei JS, Lutz W, Fischer M, König R, Wiedemeyer R, Ehemann V, Brors B, Ernestus K, Leuschner T, Benner A, Khan J, Schwab M. High Skp2 expression characterizes high-risk neuroblastomas independent of MYCN status. **Clin Cancer Res.** 2007; 13: 4695-4703.
- Witzens-Harig M, Heilmann C, Hensel M, Kornacker M, Benner A, Hass R, Frühauf S. Long-term follow-up of patients with non-Hodgkin lymphoma following myeloablative therapy and autologous transplantation of CD34+-selected peripheral blood progenitor cells. **Stem Cells** 2007; 25: 228-235.
- Adamowicz M, Radlwimmer B, Rieker RJ, Mertens D, Schwarzbach M, Schraml P, Benner A, Lichter P, Mechttersheimer G, Joos S. Frequent amplifications and abundant expression of TRIO, NKD2, and IRX2 in soft tissue sarcomas. **Genes Chromosomes Cancer.** 2006;45:829-838.
- Fröhling S, Schlenk RF, Kayser S, Morhardt M, Benner A, Döhner K, Döhner H. Cytogenetics and age are major determinants of outcome in intensively treated acute myeloid leukemia patients older than 60 years: results from AMLSG trial AML HD98-B. **Blood.** 2006.
- Harter C, Schulze B, Goldschmidt H, Benner A, Geiss HK, Hoppe-Tichy T, Ho AD, Egerer G. Piperacillin/tazobactam vs ceftazidime in the treatment of neutropenic fever in patients with acute leukemia or following autologous peripheral blood stem cell transplantation: a prospective randomized trial. **Bone Marrow Transplant.** 2006;37:373-379.
- Henrich KO, Fischer M, Mertens D, Benner A, Wiedemeyer R, Brors B, Oberthuer A, Berthold F, Wei JS, Khan J, Schwab M, Westermann F. Reduced expression of CAMTA1 correlates with adverse outcome in neuroblastoma patients. **Clin Cancer Res.** 2006;12:131-138.
- Jakubowska A, Gronwald J, Gorski B, Huzarski T, Byrski T, Benner A, Lubinski J, Scott RJ, Hamann U. The 3' untranslated region C > T polymorphism of prohibitin is a breast cancer risk modifier in Polish women carrying a BRCA1 mutation. **Breast Cancer Res Treat.** 2006.
- Kienle D, Benner A, Kröber A, Winkler D, Mertens D, Buhler A, Seiler T, Jager U, Lichter P, Döhner H, Stilgenbauer S. Distinct gene expression patterns in chronic lymphocytic leukemia defined by usage of specific VH genes. **Blood.** 2006;107:2090-2093.
- Kröber A, Bloehdorn J, Hafner S, Buhler A, Seiler T, Kienle D, Winkler D, Bangerter M, Schlenk RF, Benner A, Lichter P, Döhner H, Stilgenbauer S. Additional genetic high-risk features such as 11q deletion, 17p deletion, and V3-21 usage characterize discordance of ZAP-70 and VH mutation status in chronic lymphocytic leukemia. **J Clin Oncol.** 2006; 24:969-975.
- Mendrzyk F, Korshunov A, Benner A, Tödt G, Pfister S, Radlwimmer B, Lichter P. Identification of gains on 1q and epidermal growth factor receptor overexpression as independent prognostic markers in intracranial ependymoma. **Clin Cancer Res.** 2006; 12: 2070-2079
- Rashid MU, Zaidi A, Torres D, Sultan F, Benner A, Naqvi B, Shakoory AR, Seidel-Renkert A, Farooq H, Narod S, Amin A, Hamann U. Prevalence of BRCA1 and BRCA2 mutations in Pakistani breast and ovarian cancer patients. **Int J Cancer.** 2006.
- Ryschich E, Lizdenis P, Ittrich C, Benner A, Stahl S, Hamann A, Schmidt J, Knolle P, Arnold

- B, Hammerling GJ, Ganss R. Molecular fingerprinting and autocrine growth regulation of endothelial cells in a murine model of hepatocellular carcinoma. **Cancer Res.** 2006; 66:198-211.
- Sauerbrei, W., Meier-Hirmer, C., Benner, A., Royston, P. Multivariable regression model building by using fractional polynomials: description of SAS, STATA and R programs, **Comp Stat and Data Analysis**, 2006; 50: 3464-3485.
- Schlenk RF, Fröhling S, Hartmann F, Fischer JT, Glasmacher A, Del Valle F, Gotze K, Nerl C, Schoch R, Pralle H, Mergenthaler HG, Hensel M, Koller E, Kirchen H, Matzdorff A, Salwender H, Biedermann HG, Kremers S, Haase D, Benner A, Döhner K, Döhner H. Intensive consolidation versus oral maintenance therapy in patients 61 years or older with acute myeloid leukemia in first remission: results of second randomization of the AML HD98-B treatment Trial. **Leukemia.** 2006; 20:748-750.
- Schmitt C, Balogh B, Grundt A, Buchholtz C, Leo A, Benner A, Hensel M, Ho AD, Leo E. The bcl-2/IgH rearrangement in a population of 204 healthy individuals: Occurrence, age and gender distribution, breakpoints, and detection method validity. **Leuk Res.** 2006; 30:745-750.
- Schmitt C, Grundt A, Buchholtz C, Scheuer L, Benner A, Hensel M, Ho AD, Leo E. One single dose of rituximab added to a standard regimen of CHOP in primary treatment of follicular lymphoma appears to result in a high clearance rate from circulating bcl-2/IgH positive cells: Is the end of molecular monitoring near? **Leuk Res.** 2006; 30: 1563-1568.
- Thürigen O, Schneeweiss A, Tödt G, Warnat P, Hahn M, Kramer H, Brors B, Rudlowski C, Benner A, Schütz F, Tews B, Eils R, Sinn HP, Sohn C, Lichter P. Gene expression signature predicting pathologic complete response with gemcitabine, epirubicin, and docetaxel in primary breast cancer. **J Clin Oncol.** 2006; 24:1839-1845.
- Benner A. mfp - multivariable fractional polynomials. **R News** 2005; 5: 20-23.
- Buckowitz A, Knaebel HP, Benner A, Blaker H, Gebert J, Kienle P, von Knebel Doeberitz M, Kloor M. Microsatellite instability in colorectal cancer is associated with local lymphocyte infiltration and low frequency of distant metastases. **Br J Cancer.** 2005;92:1746-1753.
- Cremer FW, Bila J, Buck I, Kartal M, Hose D, Ittrich C, Benner A, Raab MS, Theil AC, Moos M, Goldschmidt H, Bartram CR, Jauch A. Delineation of distinct subgroups of multiple myeloma and a model for clonal evolution based on interphase cytogenetics. **Genes Chromosomes Cancer.** 2005;44:194-203.
- Dähn S, Schwalbach P, Maksan S, Wohleke F, Benner A, Kuntz C. Influence of different gases used for laparoscopy (helium, carbon dioxide, room air, and xenon) on tumor volume, histomorphology, and leukocyte-tumor-endothelium interaction in intravital microscopy. **Surg Endosc.** 2005;19:65-70.
- Deichmann M, Thome M, Benner A, Kirschner M, Hassanzadeh J, Kurzen H. Preponderance of the oncogenic V599E and V599K mutations in B-raf kinase domain is enhanced in melanoma cutaneous/subcutaneous metastases. **BMC Cancer.** 2005; 5:58.
- Findeisen P, Kloor M, Merx S, Sutter C, Woerner SM, Dostmann N, Benner A, Dondog B, Pawlita M, Dippold W, Wagner R, Gebert J, von Knebel Doeberitz M. T25 repeat in the 3' untranslated region of the CASP2 gene: a sensitive and specific marker for microsatellite instability in colorectal cancer. **Cancer Res.** 2005;65:8072-8078.
- Gerull S, Goerner M, Benner A, Hegenbart U, Klein U, Schaefer H, Goldschmidt H, Ho AD. Long-term outcome of nonmyeloablative allogeneic transplantation in patients with high-risk multiple myeloma. **Bone Marrow Transplant.** 2005;36:963-969.
- Kienle DL, Korz C, Hosch B, Benner A, Mertens D, Habermann A, Kröber A, Jager U, Lichter P, Döhner H, Stilgenbauer S. Evidence for distinct pathomechanisms in genetic subgroups of chronic lymphocytic leukemia revealed by quantitative expression analysis of cell cycle, activation, and apoptosis-associated genes. **J Clin Oncol.** 2005; 23: 3780-3792.
- Kienle P, Z'graggen K, Schmidt J, Benner A, Weitz J, Büchler MW. Laparoscopic restorative proctocolectomy. **Br J Surg.** 2005; 92:88-93.
- Kirschner M, Helmke B, Starz H, Benner A, Thome M, Deichmann M. Preponderance of the oncogenic V599E and V599K mutations in the B-raf kinase domain is enhanced in

- melanoma lymph node metastases. **Melanoma Res.** 2005; 15:427-434.
- Kloor M, Becker C, Benner A, Woerner SM, Gebert J, Ferrone S, von Knebel Doeberitz M. Immunoselective pressure and human leukocyte antigen class I antigen machinery defects in microsatellite unstable colorectal cancers. **Cancer Res.** 2005; 65:6418-6424.
- Knaebel HP, Koch M, Feise T, Benner A, Kienle P. Diagnostics of rectal cancer: endorectal ultrasound. **Recent Results Cancer Res.** 2005; 165: 46-57.
- Liebisch P, Scheck D, Erne SA, Wellmann A, Wendl C, Janczik S, Kolmus S, Kröber A, Einsele H, Straka C, Goldschmidt H, Benner A, Stilgenbauer S, Döhner H. Duplication of chromosome arms 9q and 11q: Evidence for a novel, 14q32 translocation-independent pathogenetic pathway in multiple myeloma. **Genes Chromosomes Cancer.** 2005; 42:78-81.
- Mendrzyk F, Radlwimmer B, Joos S, Kokocinski F, Benner A, Stange DE, Neben K, Fiegler H, Carter NP, Reifenberger G, Korshunov A, Lichter P. Genomic and protein expression profiling identifies CDK6 as novel independent prognostic marker in medulloblastoma. **J Clin Oncol.** 2005; 23: 8853-8862.
- Michaelovsky E, Frisch A, Leor S, Stein D, Danziger Y, Carel C, Fennig S, Mimouni M, Klauck SM, Benner A, Poustka A, Apter A, Weizman A. Haplotype analysis of the COMT-ARVCF gene region in Israeli anorexia nervosa family trios. **Am J Med Genet B Neuropsychiatr Genet.** 2005; 139:45-50.
- Raab MS, Cremer FW, Breitkreutz IN, Gerull S, Luft T, Benner A, Goerner M, Ho AD, Goldschmidt H, Moos M. Molecular monitoring of tumour load kinetics predicts disease progression after non-myeloablative allogeneic stem cell transplantation in multiple myeloma. **Ann Oncol.** 2005; 16:611-617.
- Rashid MU, Jakubowska A, Justenhoven C, Harth V, Pesch B, Baisch C, Pierl CB, Bruning T, Ko Y, Benner A, Wichmann HE, Brauch H, Hamann U; GENICA Network. German populations with infrequent CHEK2*1100delC and minor associations with early-onset and familial breast cancer. **Eur J Cancer.** 2005; 41: 2896-2903.
- Schlenk RF, Germing U, Hartmann F, Glasmacher A, Fischer JT, del Valle y Fuentes F, Gotze K, Pralle H, Nerl C, Salwender H, Grimminger W, Petzer A, Hensel M, Benner A, Zick L, Döhner K, Fröhling S, Döhner H; AML Study Group (AMLSG). High-dose cytarabine and mitoxantrone in consolidation therapy for acute promyelocytic leukemia. **Leukemia.** 2005; 19: 978-983.
- Bakkus MH, Bouko Y, Samson D, Apperley JF, Thielemans K, Van Camp B, Benner A, Goldschmidt H, Moos M, Cremer FW. Post-transplantation tumour load in bone marrow, as assessed by quantitative ASO-PCR, is a prognostic parameter in multiple myeloma. **Br J Haematol.** 2004;126: 665-674.
- Deichmann M, Kahle B, Benner A, Thome M, Helmke B, Naher H. Somatic mitochondrial mutations in melanoma resection specimens. **Int J Oncol.** 2004;24:137-141.
- Deichmann M, Polychronidis M, Benner A, Kleist C, Thome M, Kahle B, Helmke BM. Expression of the heat shock cognate protein HSP73 correlates with tumour thickness of primary melanomas and is enhanced in melanoma metastases. **Int J Oncol.** 2004;25:259-268.
- Deichmann M, Thome M, Benner A, Naher H. B-raf exon 15 mutations are common in primary melanoma resection specimens but not associated with clinical outcome. **Oncology.** 2004;66:411-419.
- Dreger P, Stilgenbauer S, Benner A, Ritgen M, Kröber A, Kneba M, Schmitz N, Döhner H. The prognostic impact of autologous stem cell transplantation in patients with chronic lymphocytic leukemia: a risk-matched analysis based on the VH gene mutational status. **Blood.** 2004;103:2850-2858.
- Fröhling S, Schlenk RF, Stolze I, Bihlmayr J, Benner A, Kreitmeier S, Tobis K, Döhner H, Döhner K.: CEBPA mutations in younger adults with acute myeloid leukemia and normal cytogenetics: prognostic relevance and analysis of cooperating mutations. **J Clin Oncol.** 2004;22:624-633.
- Helmke BM, Mollenhauer J, Herold-Mende C, Benner A, Thome M, Gassler N, Wahl W, Lyer S, Poustka A, Otto HF, Deichmann M. BRAF mutations distinguish anorectal from

- cutaneous melanoma at the molecular level. **Gastroenterology**. 2004;127:1815-1820.
- Helmke BM, Polychronidis M, Benner A, Thome M, Arribas J, Deichmann M. Melanoma metastasis is associated with enhanced expression of the syntenin gene. **Oncol Rep**. 2004;12:221-228.
- Hothorn T, Lausen B, Benner A, Radespiel-Tröger M.: Bagging survival trees. **Stat Med**. 2004; 23:77-91.
- Jeremias I, Steiner HH, Benner A, Debatin KM, Herold-Mende C. Cell death induction by betulinic acid, ceramide and TRAIL in primary glioblastoma multiforme cells. **Acta Neurochir (Wien)**. 2004;146:721-729.
- Jhavar S, Sarin R, Mulherkar R, Benner A, Agarwal JP, Dinshaw K. Glutathione S-transferase M1 or T1 null genotype as a risk factor for developing multiple primary neoplasms in the upper aero-digestive tract, in Indian males using tobacco. **Oral Oncol**. 2004 ;40:84-91.
- Koch M, Kienle P, Sauer P, Willeke F, Buhl K, Benner A, Lehnert T, Herfarth C, von Knebel Doeberitz M, Weitz J. Hematogenous tumor cell dissemination during colonoscopy for colorectal cancer. **Surg Endosc**. 2004; 18:587-591.
- Leo E, Scheuer L, Schmidt-Wolf IG, Kerowgan M, Schmitt C, Leo A, Baumbach T, Kraemer A, Mey U, Benner A, Parwaresch R, Ho AD. Significant thrombocytopenia associated with the addition of rituximab to a combination of fludarabine and cyclophosphamide in the treatment of relapsed follicular lymphoma. **Eur J Haematol**. 2004; 73: 251-257.
- Neben K, Korshunov A, Benner A, Wrobel G, Hahn M, Kokocinski F, Golanov A, Joos S, Lichter P. Microarray-based screening for molecular markers in medulloblastoma revealed STK15 as independent predictor for survival. **Cancer Res**. 2004; 64:3103-3111.
- Schlenk RF, Benner A, Krauter J, Buchner T, Sauerland C, Ehninger G, Schaich M, Mohr B, Niederwieser D, Krahl R, Pasold R, Döhner K, Ganser A, Döhner H, Heil G. Individual patient data-based meta-analysis of patients aged 16 to 60 years with core binding factor acute myeloid leukemia: a survey of the German Acute Myeloid Leukemia Intergroup. **J Clin Oncol**. 2004; 22:3741-3750.
- Schlenk RF, Fröhling S, Hartmann F, Fischer JT, Glasmacher A, Del Valle F, Grimminger W, Gotze K, Waterhouse C, Schoch R, Pralle H, Mergenthaler HG, Hensel M, Koller E, Kirchen H, Preiss J, Salwender H, Biedermann HG, Kremers S, Griesinger F, Benner A, Addamo B, Döhner K, Haas R, Döhner H. Phase III study of all-trans retinoic acid in previously untreated patients 61 years or older with acute myeloid leukemia. **Leukemia**. 2004; 18:1798-803.
- Schlenzka J, Moehler TM, Kipriyanov SM, Kornacker M, Benner A, Bahre A, Stassar MJ, Schäfer HJ, Little M, Goldschmidt H, Cochlovius B. Combined effect of recombinant CD19-CD16 diabody and thalidomide in a preclinical model of human B cell lymphoma. **Anti Cancer Drugs** 2004; 15:915-919.
- Staritz P, Kienle P, Koch M, Benner A, von Knebel Doeberitz M, Rudi J, Weitz J. Detection of disseminated tumour cells as a potential surrogate-marker for monitoring palliative chemotherapy in colorectal cancer patients. **J Exp Clin Cancer Res**. 2004; 23:633-639.
- Dähn S, Schwalbach P, Wohleke F, Benner A, Kuntz C. Influence of different gases used for laparoscopy (helium, carbon dioxide, room air, xenon) on tumor volume, proliferation, and apoptosis. **Surg Endosc**. 2003;17:1653-1657.
- Freier K, Joos S, Flechtenmacher C, Devens F, Benner A, Bosch FX, Lichter P, Hofele C. Tissue microarray analysis reveals site-specific prevalence of oncogene amplifications in head and neck squamous cell carcinoma. **Cancer Res**. 2003; 63:1179-1182.
- Freier K, Bosch FX, Flechtenmacher C, Devens F, Benner A, Lichter P, Joos S, Hofele C. Distinct site-specific oncoprotein overexpression in head and neck squamous cell carcinoma: a tissue microarray analysis. **Anticancer Res**. 2003; 23:3971-3977.
- Goerner M, Weber-Nordt R, Hoepfner S, Benner A, Luft T, Ho AD. Addition of a low fixed number of CD3+ cells to CD34-enriched allografts: effects on engraftment, graft-versus-host disease, and survival after related and unrelated peripheral stem cell transplantation. **J Hematother Stem Cell Res**. 2003;12:309-320.
- Goldschmidt H, Sonneveld P, Cremer FW, van der Holt B, Westveer P, Breitkreutz I, Benner

- A, Glasmacher A, Schmidt-Wolf IG, Martin H, Hoelzer D, Ho AD, Lokhorst HM. HOVON; GMMG. Joint HOVON-50/GMMG-HD3 randomized trial on the effect of thalidomide as part of a high-dose therapy regimen and as maintenance treatment for newly diagnosed myeloma patients. **Ann Hematol**. 2003; 82:654-659.
- Hoepfner S, Goerner M, Benner A, Henning P, Ho AD. Unrelated donor transplantation after reduced intensity conditioning as an approach for patients lacking related donors for allogeneic stem cell transplantation. **J Hematother Stem Cell Res**. 2003; 12:331-339.
- Kienle D, Kröber A, Katzenberger T, Ott G, Leupolt E, Barth TF, Moller P, Benner A, Habermann A, Müller-Hermelink HK, Bentz M, Lichter P, Döhner H, Stilgenbauer S. VH mutation status and VDJ rearrangement structure in mantle cell lymphoma: correlation with genomic aberrations, clinical characteristics, and outcome. **Blood**. 2003;102:3003-3009.
- Kienle P, Weitz J, Benner A, Herfarth C, Schmidt J. Laparoscopically assisted colectomy and ileoanal pouch procedure with and without protective ileostomy. **Surg Endosc**. 2003; 17:716-720.
- Kienle P, Koch M, Autschbach F, Benner A, Treiber M, Wannemacher M, von Knebel Doeberitz M, Buchler M, Herfarth C, Weitz J. Decreased detection rate of disseminated tumor cells of rectal cancer patients after preoperative chemoradiation: a first step towards a molecular surrogate marker for neoadjuvant treatment in colorectal cancer. **Ann Surg**. 2003;238:324-330; discussion 330-331.
- Kienle P, Weitz J, Koch M, Benner A, Herfarth C, Schmidt J. Biofeedback versus electrostimulation in treatment of anal sphincter insufficiency. **Dig Dis Sci**. 2003;48:1607-1613.
- Korshunov A, Neben K, Wrobel G, Tews B, Benner A, Hahn M, Golanov A, Lichter P. Gene expression patterns in ependymomas correlate with tumor location, grade, and patient age. **Am J Pathol**. 2003; 163:1721-1727.
- Krämer A, Schweizer S, Neben K, Giesecke C, Kalla J, Katzenberger T, Benner A, Müller-Hermelink HK, Ho AD, Ott G. Centrosome aberrations as a possible mechanism for chromosomal instability in non-Hodgkin's lymphoma. **Leukemia**. 2003;17:2207-2213.
- Laufs S, Gentner B, Nagy KZ, Jauch A, Benner A, Naundorf S, Kuehlicke K, Schiedmeier B, Ho AD, Zeller WJ, Fruehauf S. Retroviral vector integration occurs in preferred genomic targets of human bone marrow-repopulating cells. **Blood**. 2003; 101: 2191-2198.
- Schlenk RF, Benner A, Hartmann F, del Valle F, Weber C, Pralle H, Fischer JT, Gunzer U, Pezzutto A, Weber W, Grimminger W, Preiss J, Hensel M, Fröhling S, Döhner K, Haas R, Döhner H; AML Study Group Ulm (AMLSTG ULM). Risk-adapted postremission therapy in acute myeloid leukemia: results of the German multicenter AML HD93 treatment trial. **Leukemia**. 2003;17:1521-1528.
- Schmeding M, Schwalbach P, Reinshagen S, Autschbach F, Benner A, Kuntz C. Helium pneumoperitoneum reduces tumor recurrence after curative laparoscopic liver resection in rats in a tumor-bearing small animal model. **Surg Endosc**. 2003;17:951-959.
- Stach D, Schmitz OJ, Stilgenbauer S, Benner A, Döhner H, Wiessler M, Lyko F. Capillary electrophoretic analysis of genomic DNA methylation levels. **Nucleic Acids Res**. 2003; 31:E2.
- Twardella D, Popanda O, Helmbold I, Ebbeler R, Benner A, von Fournier D, Haase W, Sautter-Bihl ML, Wenz F, Schmezer P, Chang-Claude J.: Personal characteristics, therapy modalities and individual DNA repair capacity as predictive factors of acute skin toxicity in an unselected cohort of breast cancer patients receiving radiotherapy. **Radiother Oncol**. 2003; 69:145-153.
- Woerner SM, Benner A, Sutter C, Schiller M, Yuan YP, Keller G, Bork P, Doeberitz MK, Gebert JF. Pathogenesis of DNA repair-deficient cancers: a statistical meta-analysis of putative Real Common Target genes. **Oncogene**. 2003; 22:2226-2235.

