

Publications of the group MR Spectroscopy and CEST Imaging

2026

- Menshchikov P, Bulanov P, Kempa N, Ladd ME, Korzowski A, and Boyd PS. „Design of an In Vivo-Like Phantom for Quantitative Body CEST MRI”. *Magnetic Resonance in Medicine*, online ahead of print (9 September 2026). DOI: [10.1002/mrm.70585](https://doi.org/10.1002/mrm.70585)
- Boyd PS, Menshchikov P, Loi L, Kempa N, Ladd ME, Schlemmer HP, Bachert P, Paech D, and Korzowski A. Unlocking the rNOE-CEST Contrast for Breast Cancer MRI Using the FATLESS Approach. *Investigative Radiology* 61(4):241-250 (2026). DOI: [10.1097/RLI.0000000000001222](https://doi.org/10.1097/RLI.0000000000001222)
- Regnery S, Knebel Doeberitz Nv, Kroh F, Boyd PS, Zeyen T, Menshchikov P, Graß S, Bauspieß C, Schaumann S, Floca R, Ladd ME, Debus J, Schlemmer HP, Korzowski A, König L, Paech D. Chemical exchange saturation transfer (CEST) imaging reveals tumor-specific molecular changes in adult gliomas after radiotherapy. *Radiotherapy and Oncology*, 219:111513 (2026). DOI: [10.1016/j.radonc.2026.111513](https://doi.org/10.1016/j.radonc.2026.111513)
- Knebel Doeberitz Nv, Menshchikov P, Kroh F, König L, Graß S, Bauspieß C, Boyd PS, Regnery S, Zeyen T, Schaumann S, Floca R, Hasson D, Scherer M, Bendszus M, Wick W, Debus J, Bachert P, Ladd ME, Schlemmer HP, Korzowski A, Paech D. Assessment of multimodal CEST, perfusion and diffusion MRI for predicting clinical outcome of patients with diffuse glioma following surgery at baseline before radiotherapy. *Cancer Imaging*, 26, 61–77 (2026). DOI: [10.1186/s40644-026-01022-y](https://doi.org/10.1186/s40644-026-01022-y)
- Bulanov P, Menshchikov P, Grimm JA, Himburg N, Schmidt S, Orzada S, Ladd ME, and Schmitter S. Abdominal T₁ relaxation times at 7T. *Magn Reson Mater Phy*, 1-13 (2026). DOI: [10.1007/s10334-025-01317-4](https://doi.org/10.1007/s10334-025-01317-4)

2025

- Kroh F, Boyd PS, Graß S, Knebel Doeberitz Nv, Schlemmer H-P, Ladd ME, Paech D, Korzowski A. CEST Contrasts Exhibit Significant Regional Variations in the Human Brain at 3 T. *NMR in Biomedicine* 38(12):e70177 (2025). DOI: [10.1002/nbm.70177](https://doi.org/10.1002/nbm.70177)
- Franke VL, Kroh F, Seng B, Platek J, Weckesser N, Schlemmer HP, Ladd ME, Bachert P, Paech D, and Korzowski A. Exploring the 31P chemical shift behavior of high-energy phosphates at 7 T in patients with glioma. *Frontiers in Neuroscience*, 19, 1638322. DOI: [10.3389/fnins.2025.1638322](https://doi.org/10.3389/fnins.2025.1638322)
- Bulanov P, Menshchikov P, Grimm JA, Lutz M, Orzada S, Boyd PS, Bachert P, Ladd ME, Korzowski A, and Schmitter S. Human liver CEST imaging at 7 T: Impact of B1+ shimming. *Magnetic Resonance in Medicine*. 94(4):1604–1615 (2025). DOI: [10.1002/mrm.30557](https://doi.org/10.1002/mrm.30557)

2024

- Awenius M, Abeln H, Müller M, Franke VL, Rincon G, Glowa C, Schmitt M, Bangert R, Ludwig D, Schmidt AB, Kuder TA, Ladd ME, Bachert P, Biegger P, and Korzowski A. Three-dimensional

radial echo-planar spectroscopic imaging for hyperpolarized ^{13}C MRSI in vivo. *Magn Reson Med* 93 (1): 31-41. DOI: [10.1002/mrm.30258](https://doi.org/10.1002/mrm.30258)

- Franke VL, Breitling JS, Boyd PS, Feignier A, Bangert R, Weckesser N, Schlemmer HP, Ladd ME, Bachert P, Paech D, and Korzowski A. A versatile look-up-algorithm for mapping pH values and magnesium ion content using ^{31}P MRSI. *NMR in Biomed*: e5113. DOI: [10.1002/nbm.5113](https://doi.org/10.1002/nbm.5113)
- Paech D, Weckesser N, Franke VL, Breitling JS, Deike-Hofmann K, Wick A, Scherer M, Unterberg A, Wick W, Bendszus M, Bachert P, Ladd ME, Schlemmer HP, and Korzowski A. Whole-brain intracellular pH mapping in patients with glioma using high-resolution ^{31}P MRSI at 7 Tesla. *Radiology: Imaging Cancer* 6 (1): e220127. DOI: [10.1148/rycan.220127](https://doi.org/10.1148/rycan.220127)

2023

- von Knebel-Doeberitz N, Kroh F, König L, Boyd PS, Graß S, Bauspieß C, Scherer M, Unterberg A, Bendszus M, Wick W, Bachert P, Debus J, Ladd ME, Schlemmer HP, Goerke S, Korzowski A, and Paech D. Post-Surgical Depositions of Blood Products Are No Major Confounder for the Diagnostic and Prognostic Performance of CEST MRI in Patients with Glioma. *Biomedicines* 11 (9): 2348. DOI: [10.3390/biomedicines11092348](https://doi.org/10.3390/biomedicines11092348)
- Kroh F, von Knebel Doeberitz N, Breitling J, Maksimovic S, König L, Adeberg S, Scherer M, Unterberg A, Bendszus M, Wick W, Bachert P, Debus J, Ladd ME, Schlemmer HP, Korzowski A, Goerke S, Paech D. Semi-solid MT and APTw CEST-MRI predict clinical outcome of patients with glioma early after radiotherapy. *Magn. Reson. Med.* (2023); 1- 13. DOI: [10.1002/mrm.29746](https://doi.org/10.1002/mrm.29746)
- von Knebel-Doeberitz N, Kroh F, Breitling J, König L, Maksimovic S, Grass S, Adeberg S, Scherer M, Unterberg A, Bendszus M, Wick W, Bachert P, Debus J, Ladd ME, Schlemmer HP, Korzowski A, Goerke S, Paech D. CEST Imaging of the APT and ssMT predict the overall survival of patients with glioma at the first follow-up after completion of radiotherapy at 3T. *Radiotherapy and Oncology* 184: 109694 (2023). DOI: [10.1016/j.radonc.2023.109694](https://doi.org/10.1016/j.radonc.2023.109694)

2022

- Loi L, Goerke S, Zimmermann F, Korzowski A, Meissner JE, Breitling J, Schott S, Bachert P, Ladd ME, Schlemmer HP, Bickelhaupt S, and Paech D. Assessing the influence of the menstrual cycle on APT CEST-MRI in the human breast. *Magn Reson Imag* 91: 24-31 (2022). DOI: [10.1016/j.mri.2022.05.006](https://doi.org/10.1016/j.mri.2022.05.006)
- Jinyuan Zhou, Moritz Zaiss, Linda Knutsson, Phillip Zhe, Sung Soo Ahn, Silvio Aime, Peter Bachert, Jaishri O. Blakeley, Kejia Cai, Michael A. Chappell, Min Chen, Daniel F. Gochberg, Steffen Goerke, Hye-Young Heo, Shanshan Jiang, Tao Jin, Seong-Gi Kim, John Laterra, Daniel Paech, Mark D. Pagel, Ji Eun Park, Ravinder Reddy, Akihiko Sakata, Sabine Sartoretto-Schefer, A. Dean Sherry, Seth A. Smith, Greg J. Stanis, Pia C. Sundgren, Osamu Togao, Moriel Vandsburger, Zhibo Wen, Yin Wu, Yi Zhang, Wenzhen Zhu, Zhongliang Zu, Peter C.M. van Zijl: Review and consensus recommendations on clinical APT-weighted imaging approaches at 3 T: Application to brain tumors. *Magn. Reson. Med.* 88: 546-574 (2022). DOI: [10.1002/mrm.29241](https://doi.org/10.1002/mrm.29241)
- Franke VL, Breitling J, Ladd ME, Bachert P, Korzowski A. ^{31}P MRSI at 7 T enables high-resolution volumetric mapping of the intracellular magnesium ion content in human lower leg muscles. *Magn. Reson. Med.* 88(2): 511-523 (2022). DOI: [10.1002/mrm.29231](https://doi.org/10.1002/mrm.29231)
- Breitling J, Korzowski A, Kempa N, Boyd PS, Ladd ME, Bachert P, Goerke S. Motion-correction for three-dimensional chemical exchange saturation transfer imaging without direct water saturation artifacts. *NMR Biomed.* 35(7), e4720 (2022). DOI: [10.1002/nbm.4720](https://doi.org/10.1002/nbm.4720)
- Boyd PS, Breitling J, Korzowski A, Zaiss M, Franke VL, Mueller-Decker K, Glinka A, Ladd ME, Bachert P, Goerke S. Mapping intracellular pH in tumors using amide and guanidyl CEST-MRI at 9.4 T. *Magn. Reson. Med.* 87(5): 2436-2452 (2022). DOI: [10.1002/mrm.29133](https://doi.org/10.1002/mrm.29133)

2021

- Korzowski A, Weckesser N, Franke VL, Breitling J, Goerke S, Schlemmer HP, Ladd ME, Bachert P, Paech D. Mapping an Extended Metabolic Profile of Gliomas Using High-Resolution ^{31}P MRSI at 7T. *Front Neurol.* (2021) DOI: [10.3389/fneur.2021.735071](https://doi.org/10.3389/fneur.2021.735071)
- Voelker MN, Kraff O, Goerke S, Laun FB, Hanspach J, Pine KJ, Ehse P, Zaiss M, Liebert A, Straub S, Eckstein K, Robinson S, Nagel AN, Stefanescu MR, Wollrab A, Klix S, Felder J, Hock M, Bosch D, Weiskopf N, Speck O, Ladd ME, Quick HH. The Traveling Heads 2.0: Multicenter Reproducibility of Quantitative Imaging Methods at 7 Tesla. *NeuroImage* 232:117910 (2021). DOI: [10.1016/j.neuroimage.2021.117910](https://doi.org/10.1016/j.neuroimage.2021.117910)
- Goerke S, Breitling J, Korzowski A, Paech D, Zaiss M, Schlemmer HP, Ladd ME, Bachert P. Clinical routine acquisition protocol for 3D relaxation-compensated APT and rNOE CEST-MRI of the human brain at 3T. *Magn. Reson. Med.* 86:393–404 (2021). DOI: [10.1002/mrm.28699](https://doi.org/10.1002/mrm.28699)

2020

- Kleimaier D, Goerke S, Nies C, Zaiss M, Kunz P, Bachert P, Ladd ME, Gottwald E, Schad LR. The cellular heat shock response monitored by chemical exchange saturation transfer MRI. *Sci. Rep.* 10: 11118 (2020). DOI: [10.1038/s41598-020-68022-1](https://doi.org/10.1038/s41598-020-68022-1)
- Loi L, Zimmermann F, Goerke S, Korzowski A, Meissner J-E, Deike-Hofmann K, Stieber A, Bachert P, Ladd ME, Schlemmer H-P, Bickelhaupt S, Schott S, Paech D. Relaxation-compensated CEST (Chemical Exchange Saturation Transfer) Imaging in Breast Cancer Diagnostics at 7T. *Eur. J. Radiol.* (2020). DOI: [10.1016/j.ejrad.2020.109068](https://doi.org/10.1016/j.ejrad.2020.109068)
- Korzowski A, Weinfurter N, Mueller S, Breitling J, Goerke S, Schlemmer HP, Ladd ME, Paech D, Bachert P. Volumetric Mapping of Intra- and Extracellular pH in the Human Brain using ^{31}P MRSI at 7 T. *Magn. Reson. Med.* 84:1707–1723 (2020). DOI: [10.1002/mrm.28255](https://doi.org/10.1002/mrm.28255)
- Breitling J, Meissner JE, Zaiss M, Paech D, Ladd ME, Bachert P, Goerke S. Optimized dualCEST-MRI for imaging of endogenous bulk mobile proteins in the human brain. *NMR Biomed.* (2020);33:e4262. DOI: [10.1002/nbm.4262](https://doi.org/10.1002/nbm.4262)
- Boyd PS, Breitling J, Zimmermann F, Korzowski A, Zaiss M, Schuenke P, Weinfurter N, Schlemmer HP, Ladd ME, Bachert P, Paech D, Goerke S. Dynamic glucose-enhanced (DGE) MRI in the human brain at 7 T with reduced motion-induced artifacts based on quantitative $R_{1\rho}$ mapping. *Magn. Reson. Med.* 84:182–191 (2020). DOI: [10.1002/mrm.28112](https://doi.org/10.1002/mrm.28112)
- Avdievich NI, Ruhm L, Dorst J, Scheffler K, Korzowski A, and Henning A. Double-tuned $^{31}\text{P}/^1\text{H}$ human head array with high performance at both frequencies for spectroscopic imaging at 9.4T. *Magn Reson Med* 84 (2): 1076-1089. DOI: [10.1002/mrm.28176](https://doi.org/10.1002/mrm.28176)
- Zimmermann F, Korzowski A, Breitling J, Meissner JE, Schuenke P, Loi L, Zaiss M, Bickelhaupt S, Schott S, Schlemmer HP, Paech D, Ladd ME, Bachert P, Goerke S. A novel normalization for APT-CEST MRI to correct for fat-signal-induced artifacts – application to human breast cancer imaging. *Magn. Reson. Med.* 83:920–934 (2020). DOI: [10.1002/mrm.27983](https://doi.org/10.1002/mrm.27983)

2019

- Breitling J, Deshmane A, Goerke S, Korzowski A, Herz K, Ladd ME, Scheffler K, Bachert P, Zaiss M. Adaptive denoising for chemical exchange saturation transfer MR imaging. *NMR Biomed.* (2019);32:e4133. DOI: [10.1002/nbm.4133](https://doi.org/10.1002/nbm.4133)
- Zaiss M, Anemone A, Goerke S, Longo DL, Herz K, Pohmann R, Aime S, Rivlin M, Navon G, Golay X, Scheffler K. Quantification of hydroxyl exchange of D-Glucose at physiological conditions for optimization of glucoCEST MRI at 3T, 7T and 9.4 T. *NMR Biomed.* (2019);32:e4113. DOI: [10.1002/nbm.4113](https://doi.org/10.1002/nbm.4113)

- Goerke S, Soehngen Y, Deshmane A, Zaiss M, Breitling J, Boyd PS, Herz K, Zimmermann F, Klika KD, Schlemmer H-P, Paech D, Ladd ME, Bachert P. Relaxation-compensated APT and rNOE CEST-MRI of human brain tumors at 3 T. *Magn. Reson. Med.* 82(2): 622-632 (2019). DOI: [10.1002/mrm.27751](https://doi.org/10.1002/mrm.27751)
- Meissner J-E, Korzowski A, Regnery S, Goerke S, Breitling J, Floca R, Debus J, Schlemmer H-P, Ladd ME, Bachert P, Adeberg S, Paech D. Early response assessment of glioma patients to definitive chemoradiotherapy using Chemical Exchange Saturation Transfer imaging at 7 Tesla. *J Magn Reson Imaging* 50: 1268-1277 (2019). DOI: [10.1002/jmri.26702](https://doi.org/10.1002/jmri.26702)
- Paech D, Dreher C, Regnery S, Meissner J-E, Goerke S, Windschuh J, Oberhollenzer J, Schultheiss M, Deike-Hofmann K, Bickelhaupt S, Radbruch A, Zaiss M, Unterberg A, Wick W, Bendszus M, Bachert P, Ladd M, Schlemmer H-P. Relaxation-compensated amide proton transfer (APT) MRI signal intensity is associated with survival and progression in high-grade glioma patients. *Eur Radiol* (2019) 29: 4957. DOI [10.1007/s00330-019-06066-2](https://doi.org/10.1007/s00330-019-06066-2)

2018

- Regnery S, Adeberg S, Dreher C, Oberhollenzer J, Meissner J-E, Goerke S, Windschuh J, Deike-Hofmann K, Bickelhaupt S, Zaiss M, Radbruch A, Bendszus M, Wick W, Unterberg A, Rieken S, Debus J, Bachert P, Ladd M, Schlemmer H-P, Paech D. Chemical Exchange Saturation Transfer MRI serves as predictor of early progression in glioblastoma patients. *Oncotarget.* 9(47):28772-28783 (2018). DOI: [10.18632/oncotarget.25594](https://doi.org/10.18632/oncotarget.25594)
- Paech D, Windschuh J, Oberhollenzer J, Dreher C, Sahm F, Meissner J-E, Goerke S, Schuenke P, Zaiss M, Regnery S, Bickelhaupt S, Bäumer P, Bendszus M, Wick W, Unterberg A, Bachert P, Ladd ME, Schlemmer H-P, and Radbruch A. Assessing the predictability of IDH mutation and MGMT methylation status in glioma patients using relaxation-compensated multipool CEST MRI at 7.0 T. *Neuro-Oncology* (2018): noy073. DOI: [10.1093/neuonc/noy073](https://doi.org/10.1093/neuonc/noy073)
- Goerke S, Breitling J, Zaiss M, Windschuh J, Kunz P, Schuenke P, Paech D, Longo DL, Klika KD, Ladd ME, Bachert P. Dual-frequency irradiation CEST-MRI of endogenous bulk mobile proteins. *NMR Biomed.* (2018); e3920. DOI: [10.1002/nbm.3920](https://doi.org/10.1002/nbm.3920)
- Korzowski A, Bachert P: High-resolution ³¹P echo-planar spectroscopic imaging in vivo at 7 T. *Magn. Reson. Med.* 79 (3): 1251–1259 (2018). DOI: [10.1002/mrm.26785](https://doi.org/10.1002/mrm.26785)

2017

- Paech D, Schuenke P, Koehler C, Windschuh J, Mundiyanapurath S, Bickelhaupt S, Bonekamp D, Bäumer P, Bachert P, Ladd ME, Bendszus M, Wick W, Unterberg A, Schlemmer H-P, Zaiss M, Radbruch A: T1p-weighted dynamic glucose enhanced MRI in the human brain. *Radiology* 285 (3): 914–922 (2017). DOI: [10.1148/radiol.2017162351](https://doi.org/10.1148/radiol.2017162351)
- Schuenke P, Paech D, Koehler C, Windschuh J, Bachert P, Ladd ME, Schlemmer HP, Radbruch A, Zaiss M: Fast and Quantitative T1p-weighted Dynamic Glucose Enhanced MRI. *Sci. Rep.* (7): 42093 (2017). DOI: [10.1038/srep42093](https://doi.org/10.1038/srep42093)
- Schuenke P, Koehler C, Korzowski A, Windschuh J, Bachert P, Ladd ME, Mundiyanapurath S, Paech D, Bickelhaupt S, Bonekamp D, Schlemmer HP, Radbruch A, Zaiss M: Adiabatically Prepared Spin-Lock Approach for T1p-Based Dynamic Glucose Enhanced MRI at Ultrahigh Fields. *Magn. Reson. Med.* 78 (1): 215-225 (2017). DOI: [10.1002/mrm.26370](https://doi.org/10.1002/mrm.26370)
- Schuenke P, Windschuh J, Roeloffs V, Ladd ME, Bachert P, Zaiss M: Simultaneous mapping of water shift and B1 (WASABI) - Application to field-Inhomogeneity correction of CEST MRI data. *Magn. Reson. Med.* 77 (2): 571-580 (2017). DOI: [10.1002/mrm.26133](https://doi.org/10.1002/mrm.26133)
- Goerke S, Milde KS, Bukowiecki R, Kunz P, Klika KD, Wiglenda T, Mogk A, Wanker EE, Bukau B, Ladd ME, Bachert P, Zaiss M: Aggregation-induced changes in the chemical exchange

saturation transfer (CEST) signals of proteins. NMR Biomed. 30 (1): 1-9 (2017). DOI: [10.1002/nbm.3665](https://doi.org/10.1002/nbm.3665)

- Zaiss M, Windschuh J, Goerke S, Paech D, Meissner JE, Burth S, Kickingereeder P, Wick W, Bendszus M, Schlemmer HP, Ladd ME, Bachert P, Radbruch A: Downfield-NOE-suppressed amide-CEST-MRI at 7 Tesla provides a unique contrast in human glioblastoma. Magn. Reson. Med. 77 (1): 196-208 (2017). DOI: [10.1002/mrm.26100](https://doi.org/10.1002/mrm.26100)

2016

- Berger MC, Bachert P, Gröbner J, Nagel AM: Multi-contrast T_2^* -relaxometry upon visual stimulation at 3 T and 7 T. Magn. Reson. Imag. 34: 864–874 (2016). DOI: [10.1016/j.mri.2016.03.015](https://doi.org/10.1016/j.mri.2016.03.015)

2015

- Bodet O, Goerke S, Behl NGR, Roeloffs VB, Zaiss M, Bachert P: Amide proton transfer of carnosine in aqueous solution studied in vitro by WEX and CEST experiments. NMR Biomed. 28(9):1097–1103 (2015). doi: 10.1002/nbm.3343. DOI: [10.1002/nbm.3343](https://doi.org/10.1002/nbm.3343)
- Rerich E, Zaiss M, Korzowski A, Ladd ME, Bachert P: Relaxation-compensated CEST-MRI at 7 T for mapping of creatine content and pH – preliminary application in human muscle tissue in vivo. NMR Biomed. 28 (11): 1402-1412 (2015). DOI: [10.1002/nbm.3367](https://doi.org/10.1002/nbm.3367)
- Meissner JE, Goerke S, Rerich E, Klika KD, Radbruch A, Ladd ME, Bachert P, Zaiss M: Quantitative pulsed CEST-MRI using Ω -plots. NMR Biomed. 28 (10): 1196–1208 (2015). DOI: [10.1002/nbm.3362](https://doi.org/10.1002/nbm.3362)
- Zaiss M, Windschuh J, Paech D, Meissner JE, Burth S, Schmitt B, Kickingereeder P, Wiestler B, Wick W., Bendszus M, Schlemmer HP, Ladd ME, Bachert P, Radbruch A: Relaxation-compensated CEST-MRI of the human brain at 7 T: Unbiased insight into NOE and amide signal changes in human glioblastoma. Neuroimage 112: 180–188 (2015). DOI: [10.1016/j.neuroimage.2015.02.040](https://doi.org/10.1016/j.neuroimage.2015.02.040)
- Goerke S, Zaiss M, Kunz P, Klika K, Windschuh J, Mogk A, Bukau B, Ladd M, Bachert P: Signature of protein unfolding in chemical exchange saturation transfer imaging. NMR Biomed. 28 (7): 906–913 (2015). DOI: [10.1002/nbm.3317](https://doi.org/10.1002/nbm.3317)
- Windschuh J, Zaiss M, Meissner JE, Paech D, Radbruch A., Ladd ME, Bachert P: Correction of B_1 -inhomogeneities for relaxation-compensated CEST imaging at 7 T. NMR Biomed. 28 (5): 529–537 (2015). DOI: [10.1002/nbm.3283](https://doi.org/10.1002/nbm.3283)
- Zaiss M, Zu Z, Xu J, Schuenke P, Gochberg DF, Gore JC, Ladd ME, Bachert P: A combined analytical solution for chemical exchange saturation transfer and semi-solid magnetization transfer. NMR Biomed. 28 (2): 217–230 (2015). DOI: [10.1002/nbm.3237](https://doi.org/10.1002/nbm.3237)
- Paech D, Burth S, Windschuh J, Meissner J-E, Zaiss M, Eidel O, Kickingereeder P, Nowosielski M, Wiestler B, Sahm F, Floca RO, Neumann J-O, Wick W, Heiland S, Bendszus M, Schlemmer H-P, Ladd ME, Bachert P, Radbruch A: Nuclear-Overhauser-enhancement imaging of glioblastoma at 7 Tesla: Region-specific correlation with apparent diffusion coefficient and histology. PLoS One 10 (2015). e0121220. DOI: [10.1371/journal.pone.0121220](https://doi.org/10.1371/journal.pone.0121220)

2014

- Ivchenko O, Whittleston CS, Carr JM, Imhof P, Goerke S, Bachert P, Wales DJ: Proton transfer pathways, energy landscape, and kinetics in creatine–water systems. J. Phys. Chem. B 118: 1969–1975 (2014). DOI: [10.1021/jp410172k](https://doi.org/10.1021/jp410172k)
- Ivchenko O, Bachert P, Imhof P: Umbrella sampling of proton transfer in a creatine–water system. Chem. Phys. Lett. 600: 51–55 (2014). DOI: [10.1016/j.cplett.2014.03.045](https://doi.org/10.1016/j.cplett.2014.03.045)

- Zaiss M, Xu J, Goerke S, Khan IS, Singer RJ, Gore JC, Gochberg DF, Bachert P: Inverse Z-spectrum analysis for spillover-, MT-, and T1-corrected steady-state pulsed CEST-MRI – application to pH-weighted MRI of acute stroke. *NMR Biomed.* 27 (3): 240–252 (2014). DOI: [10.1002/nbm.3054](https://doi.org/10.1002/nbm.3054)
- Goerke S, Zaiss M, Bachert P: Characterization of creatine guanidinium proton exchange by water-exchange (WEX) spectroscopy for absolute-pH CEST imaging in vitro. *NMR Biomed.* 27 (5): 507–518 (2014). DOI: [10.1002/nbm.3086](https://doi.org/10.1002/nbm.3086)
- Roeloffs V, Meyer C, Bachert P, Zaiss M: Towards quantification of pulsed spinlock and CEST at clinical MR scanners: An analytical interleaved saturation–relaxation approach. *NMR Biomed.* 28 (1): 40–53 (2014). DOI: [10.1002/nbm.3192](https://doi.org/10.1002/nbm.3192)
- Paech D, Zaiss M, Meissner J–E, Windschuh J, Wiestler B, Bachert P, Neumann J–O, Kickingeder P, Schlemmer H–P, Wick W, Nagel AM, Heiland S, Ladd ME, Bendszus M, Radbruch A: Nuclear–Overhauser–enhancement–mediated chemical exchange saturation transfer imaging at 7 Tesla in glioblastoma patients. *PLoS One* 9(8): 3–10 (2014). doi: 10.1371/journal.pone.0104181. DOI: [10.1371/journal.pone.0104181](https://doi.org/10.1371/journal.pone.0104181)

2013

- Kuder TA, Bachert P, Windschuh J, Laun FB: Diffusion pore imaging by hyperpolarized xenon–129 nuclear magnetic resonance. *Phys. Rev. Lett.* 111, 028101 (2013). DOI: [10.1103/PhysRevLett.111.028101](https://doi.org/10.1103/PhysRevLett.111.028101)
- Benkhedah N, Bachert P, Semmler W, Nagel AM: Three–dimensional biexponential–weighted ²³Na imaging of the human brain with higher SNR and shorter acquisition time. *Magn. Reson. Med.* 70: 754–765 (2013). DOI: [10.1002/mrm.24516](https://doi.org/10.1002/mrm.24516)
- Zaiss M, Bachert P: Exchange–dependent relaxation in the rotating frame for slow and intermediate exchange – modeling off–resonant spin–lock and chemical exchange saturation transfer. *NMR Biomed.* 26: 507–518 (2013). DOI: [10.1002/nbm.2887](https://doi.org/10.1002/nbm.2887)
- Zaiss M, Kunz P, Goerke S, Radbruch A, Bachert P: MR imaging of protein folding in vitro employing nuclear–Overhauser–mediated saturation transfer. *NMR Biomed.* 26: 1815–1822 (2013). DOI: [10.1002/nbm.3021](https://doi.org/10.1002/nbm.3021)
- Zaiss M, Bachert P: Chemical exchange saturation transfer (CEST) and MR Z–spectroscopy in vivo: a review of theoretical approaches and methods (Topical review). *Phys. Med. Biol.* 58: R221–R269 (2013). DOI: [10.1088/0031-9155/58/22/R221](https://doi.org/10.1088/0031-9155/58/22/R221)

2012

- Zechmann CM, Menze BH, Kelm BM, Zamecnik P, Iking U, Giesel FL, Thieke C, Delorme S, Hamprecht FA, Bachert P: Automated vs. manual pattern recognition of 3D ¹H MRSI data of patients with prostate cancer. *Academic Radiology* 19: 675–684 (2012). DOI: [10.1016/j.acra.2012.02.014](https://doi.org/10.1016/j.acra.2012.02.014)
- Zaiss M, Schnurr M, Bachert P: Analytical solution for the depolarization of hyperpolarized nuclei by chemical exchange saturation transfer between free and encapsulated xenon (HyperCEST). *J. Chem. Phys.* 136: 144106–1–10 (2012). DOI: [10.1063/1.3701178](https://doi.org/10.1063/1.3701178)

2011

- Schmitt B, Zaiß M, Zhou J, Bachert P: Optimization of pulse train presaturation for CEST imaging in clinical scanners. *Magn. Reson. Med.* 65: 1620–1629 (2011). DOI: [10.1002/mrm.22750](https://doi.org/10.1002/mrm.22750)
- Zaiß M, Schmitt B, Bachert P: Quantitative separation of CEST effect from magnetization transfer and spillover effects by Lorentzian–line–fit analysis of z–spectra. *J. Magn. Reson.* 211: 149–155 (2011). DOI: [10.1016/j.jmr.2011.05.001](https://doi.org/10.1016/j.jmr.2011.05.001)

2001 - 2010

- Wilhelm T, Bachert P: In vivo ^{31}P echo-planar spectroscopic imaging of human calf muscle. *J. Magn. Reson.* 149: 126–130 (2001).
- Schlemmer H-P, Bachert P, Herfarth KK, Zuna I, Debus J, van Kaick G: Proton MR spectroscopic evaluation of suspicious brain lesions after stereotactic radiotherapy. *AJNR Am. J. Neuroradiol.* 22: 1316–1324 (2001).
- Schlemmer H-P, Bachert P, Henze M, Buslei R, Herfarth KK, Debus J, van Kaick G: Differentiation of radiation necrosis from tumor progression using proton magnetic resonance spectroscopy. *Neuroradiology* 44: 216–222 (2002).
- Schröder L, Bachert P: Evidence for a dipolar-coupled AM system in carnosine in human calf muscle from in vivo ^1H NMR spectroscopy. *J. Magn. Reson.* 164: 256–269 (2003).
- Schulze A, Bachert P, Schlemmer H-P, Harting I, Polster T, Salomons GS, Verhoeven NM, Jakobs C, Fowler B, Hoffmann GF, Mayatepek E: Lack of creatine in muscle and brain in an adult with GAMT deficiency. *Ann. Neurol.* 53: 248–251 (2003).
- Schröder L, Schmitz C, Bachert P: Phase modulation in dipolar-coupled A_2 spin systems: effect of maximum state mixing in ^1H NMR in vivo. *J. Magn. Reson.* 171: 207–212 (2004).
- Schröder L, Schmitz C, Bachert P: Molecular dynamics and information on possible sites of interaction of intramyocellular metabolites in vivo from resolved dipolar couplings in localized ^1H NMR spectra. *J. Magn. Reson.* 171: 213–224 (2004).
- Bachert P, Semmler W, Schlemmer H-P: Magnetresonanztomographie in der klinischen Onkologie. In: "Onkologie — Grundlagen Diagnostik Therapie Entwicklungen" (Zeller WJ, zur Hausen H, Hrsg.), Kap. III–7, p. 1–39, 18. Erg.-Lfg. (12/2004), ecomed Medizin, Heidelberg.
- Schröder L, Schmitz C, Bachert P: Cumulative „roof effect“ in high-resolution in vivo ^{31}P NMR spectra of human calf muscle and the Clebsch-Gordan coefficients of ATP at 1.5 T. *J. Magn. Reson.* 174: 68–77 (2005).
- Port RE, Schuster C, Port CR, Bachert P: Simultaneous sustained release of fludarabine monophosphate and Gd-DTPA from an interstitial liposome depot in rats: potential for indirect monitoring of drug release by magnetic resonance imaging. *Cancer Chemother. Pharmacol.* 58: 607–617 (2006).
- Menze BH, Lichy MP, Bachert P, Kelm BM, Schlemmer H-P, Hamprecht FA: Optimal classification of long echo time in vivo magnetic resonance spectra in the detection of recurrent brain tumors. *NMR Biomed.* 19: 599–609 (2006).
- Ulrich M, Wokrina T, Ende G, Lang M, Bachert P: ^{31}P - $\{^1\text{H}\}$ echo-planar spectroscopic imaging of the human brain in vivo. *Magn. Reson. Med.* 57: 784–790 (2007).
- Kirsch S, Bachert P: Diffraction-like phenomena in a periodic magnetization distribution at 1.5 T using the distant dipolar field (DDF). *J. Magn. Reson.* 185: 183–190 (2007).
- Schröder L, Schmitz CHJ, Bachert P: Carnosine as molecular probe for sensitive detection of Cu(II) ions using localized ^1H NMR spectroscopy. *J. Inorg. Biochemistry* 102: 174–183 (2008).
- Kirsch S, Bachert P: Visualization of the distant dipolar field: a numerical study. *Concepts Magn. Reson. Part A* 34A: 357–364 (2009).
- Zechmann C, Zamecnik P, Bachert P: Radiologische Diagnostik des Prostatakarzinoms. In: "Onkologie — Grundlagen Diagnostik Therapie Entwicklungen" (Zeller WJ, zur Hausen H, Hrsg.), Kap. V–2.13.1, p. 1–23, 26. Erg.-Lfg. (9/2009), ecomed Medizin, Heidelberg.
- Matthies C, Nagel AM, Schad LR, Bachert P: Reduction of B_0 inhomogeneity effects in triple-quantum-filtered sodium imaging. *J. Magn. Reson.* 202: 239–244 (2010).

1991 - 1999

- Port RE, Bachert P, Semmler W: Kinetic modeling of in vivo–nuclear magnetic resonance spectroscopy data: 5–Fluorouracil in liver and liver tumors. *Clin. Pharmacol. Ther.* 49: 497–505 (1991).
- Bachert P, Bellemann ME, Layer G, Koch T, Semmler W, Lorenz WJ: In vivo ^1H , ^{31}P – $\{^1\text{H}\}$ and ^{13}C – $\{^1\text{H}\}$ magnetic resonance spectroscopy of malignant histiocytoma and skeletal muscle tissue in man. *NMR Biomed.* 5: 161–170 (1992).
- Bachert P, Bellemann ME: Kinetics of the in vivo ^{31}P – ^1H nuclear Overhauser effect of the human–calf–muscle phosphocreatine resonance. *J. Magn. Reson.* 100: 146–156 (1992).
- Ende G, Bachert P: Dynamic ^{13}C – ^1H nuclear polarization of lipid methylene resonances applied to broadband proton–decoupled in vivo ^{13}C MR spectroscopy of human breast and calf tissue. *Magn. Reson. Med.* 30: 415–423 (1993).
- Schlemmer H–P, Bachert P, Semmler W, Hohenberger P, Schlag P, Lorenz WJ, van Kaick G: Drug monitoring of 5–fluorouracil: In vivo ^{19}F NMR study during 5–FU chemotherapy in patients with metastases of colorectal adenocarcinoma. *Magn. Reson. Imag.* 12: 497–511 (1994).
- Krems B, Bachert P, Zabel H–J, Lorenz WJ: ^{19}F – $\{^1\text{H}\}$ nuclear Overhauser effect and proton decoupling of 5–fluorouracil and α –fluoro– β –alanine. *J. Magn. Reson. B* 108: 155–164 (1995).
- Bachert P, Schad LR, Bock M, Knopp MV, Ebert M, Großmann T, Heil W, Hofmann D, Surkau R, Otten EW: Nuclear magnetic resonance imaging of airways in humans with use of hyperpolarized ^3He . *Magn. Reson. Med.* 36: 192–196 (1996).
- Schulze A, Hess T, Wevers R, Mayatepek E, Bachert P, Marescau B, Knopp MV, De Deyn PP, Bremer HJ, Rating D: Creatine deficiency syndrome caused by guanidinoacetate methyltransferase deficiency: Diagnostic tools for a new inborn error of metabolism. *J. Pediatr.* 131: 626–631 (1997).
- Bachert P: Kinetics of heteronuclear cross–relaxation in dipolar coupled–spin systems: Applications to in vivo measurements. *Concepts Magn. Reson.* 9: 227–245 (1997).
- Becker M, Port RE, Zabel H–J, Zeller WJ, Bachert P: Monitoring local disposition kinetics of carboplatin in vivo after subcutaneous injection in rats by means of ^{195}Pt NMR. *J. Magn. Reson.* 133: 115–122 (1998).
- Bachert P: Pharmacokinetics using fluorine NMR in vivo. *Prog. Nuc. Magn. Reson. Spec.* 33: 1–56 (1998). doi: 10.1016/S0079–6565(98)00016–8.
- Schlemmer H–P, Becker M, Bachert P, Dietz A, Rudat V, Vanselow B, Wollensack P, Zuna I, Knopp MV, Weidauer H, Wannenmacher M, van Kaick G: Alterations of intratumoral pharmacokinetics of 5–fluorouracil in head and neck carcinoma during simultaneous radiochemotherapy. *Cancer Res.* 59: 2363–2369 (1999).